

Auftraggeber Rompel  
mzd 377



Current Data Parameters  
NAME 61Mar2724  
EXPNO 140  
PROCNO 1

F2 - Acquisition Parameters  
Date\_ 20240327  
Time 13.09 h  
INSTRUM Avance  
PROBHD Z126545\_0016 (  
PULPROG zgpg30  
TD 29410  
SOLVENT D2O  
NS 64  
DS 4  
SWH 14705.882 Hz  
FIDRES 1.000060 Hz  
AQ 0.9999400 sec  
RG 101  
DW 34.000 usec  
DE 18.00 usec  
TE 298.1 K  
D1 2.00000000 sec  
D11 0.03000000 sec  
TD0 1  
SFO1 242.9573173 MHz  
NUC1 31P  
P0 4.00 usec  
P1 12.00 usec  
PLW1 54.03799820 W  
SFO2 600.1824007 MHz  
NUC2 1H  
CPDPRG[2] waltz16  
PCPD2 80.00 usec  
PLW2 25.42399979 W  
PLW12 0.54199868 W  
PLW13 0.27164969 W

F2 - Processing parameters  
SI 32768  
SF 242.9573173 MHz  
WDW EM  
SSB 0  
LB 1.00 Hz  
GB 0  
PC 1.40

